AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions of the claims and listing of the claims in the application:

What is claimed is:

1. (Withdrawn) A method of treating a patient suffering from or susceptible to an RSV infection, which method comprises administering to said patient an effective amount of a benzodiazepine derivative of formula (I), or a pharmaceutically acceptable salt thereof,

$$(R^3)_n \xrightarrow{R^2} N - R^5$$

$$R^4$$

$$R^4$$

$$R^5$$

$$R^4$$

$$R^4$$

wherein:

- R^1 represents C_{1-6} alkyl, aryl or heteroaryl;
- R^2 represents hydrogen or C_{1-6} alkyl;
- each R^3 is the same or different and represents halogen, hydroxy, $C_{1\text{-}6}$ alkyl, $C_{1\text{-}6}$ alkoxy, $C_{1\text{-}6}$ alkylthio, $C_{1\text{-}6}$ haloalkyl, $C_{1\text{-}6}$ haloalkoxy, amino, mono($C_{1\text{-}6}$ alkyl)amino, di($C_{1\text{-}6}$ alkyl)amino, nitro, cyano, $-CO_2R'$, -CONR'R'', -NH-CO-R', -S(O)R', $-S(O)_2R'$, $-NH-S(O)_2R'$, -S(O)NR'R'' or $-S(O)_2NR'R''$, wherein each R' and R'' is the same or different and represents hydrogen or $C_{1\text{-}6}$ alkyl;
- n is from 0 to 3;
- R⁴ represents hydrogen or C₁₋₆ alkyl;
- R^5 represents C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)-, aryl-(C_{1-6} hydroxyalkyl)-, carbocyclyl-(C_{1-6} hydroxyalkyl)-, heterocyclyl-(C_{1-6} hydroxyalkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)-, carbocyclyl-C(O)-C(O)-, heterocyclyl-C(O)-C(O)- or -XR 6 ;
- X represents -CO-, -S(O)- or -S(O)₂-; and
- R^6 represents C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl- $(C_{1-6}$ alkyl)-, heteroaryl- $(C_{1-6}$ alkyl)-, carbocyclyl- $(C_{1-6}$

alkyl)-, heterocyclyl-(C_{1-6} alkyl)-, aryl-(C_{1-6} alkyl)-O-, heteroaryl-(C_{1-6} alkyl)-O-, carbocyclyl-(C_{1-6} alkyl)-O- or -NR'R" wherein each R' and R" is the same or different and represents hydrogen, C_{1-6} alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)- or heterocyclyl-(C_{1-6} alkyl)-.

- 2. (Withdrawn) A method according to claim 1 wherein:
 - each R^3 is the same or different and represents halogen, hydroxy, C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, C_{1-6} haloalkyl, C_{1-6} haloalkoxy, amino, mono(C_{1-6} alkyl)amino, di(C_{1-6} alkyl)amino, nitro, cyano, $-CO_2R'$, -CONR'R'', -NH-CO-R', -S(O)R', $-S(O)_2R'$, $-NH-S(O)_2R'$ or -S(O)NR'R'', wherein each R' and R'' is the same or different and represents hydrogen or C_{1-6} alkyl;
 - R^5 represents C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl-(C_{1-6} alkyl)-, heteroaryl-(C_{1-6} alkyl)-, carbocyclyl-(C_{1-6} alkyl)-, heterocyclyl-(C_{1-6} alkyl)- or XR^6 :
 - X represents -CO-, -S(O)- or -S(O)₂-; and
 - R^6 represents C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl- $(C_{1-6}$ alkyl)-, heteroaryl- $(C_{1-6}$ alkyl)-, carbocyclyl- $(C_{1-6}$ alkyl)- or -NR'R'' wherein each R' and R'' is the same or different and represents hydrogen, C_{1-6} alkyl, carbocyclyl, heterocyclyl, aryl, heteroaryl, aryl- $(C_{1-6}$ alkyl)- or heteroaryl- $(C_{1-6}$ alkyl)-.
- 3. (Withdrawn) A method according to claim 1, wherein R^1 is C_{1-2} alkyl or aryl.
- 4. (Withdrawn) A method according to claim 1, wherein R² is hydrogen.
- 5. (Withdrawn) A method according to claim 1, wherein R^3 is halogen, hydroxy, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, amino, mono(C_{1-4} alkyl)amino or di(C_{1-4} alkyl)amino.
- 6. (Withdrawn) A method according to claim 5, wherein R^3 is fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl, C_{1-2} haloalkoxy, amino, mono(C_{1-2} alkyl)amino or di (C_{1-2} alkyl)amino.

7. (Withdrawn) A method according to claim 1, wherein R^4 is hydrogen or C_{1-2} alkyl.

- 8. (Withdrawn) A method according to claim 1, wherein R^5 is C_{1-6} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl- $(C_{1-4}$ alkyl)-, heteroaryl- $(C_{1-4}$ alkyl)-, carbocyclyl- $(C_{1-4}$ alkyl)-, aryl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR⁶.
- 9. (Withdrawn) A method according to claim 8, wherein R^5 is C_{1-4} alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, phenyl- $(C_{1-2}$ alkyl)-, heteroaryl- $(C_{1-2}$ alkyl)-, phenyl-C(O)-C(O)-, heteroaryl-C(O)-C(O)- or -XR⁶.
- 10. (Withdrawn) A method according to claim 9, wherein R^5 is C_{1-4} alkyl, phenyl, thienyl, furanyl, isoxazolyl, pyridyl, cyclopentyl, cyclohexyl, benzothienyl, dihydrobenzofuranyl, phenyl-CH₂-, furanyl-CH₂-, phenyl-C(O)-C(O)-, thienyl-C(O)-C(O)- or -XR⁶.
- 11. (Withdrawn) A method according to claim 1 wherein X is -CO- or -S(O)₂-.
- 12. (Withdrawn) A method according to claim 1 wherein, when R^6 is a group -NR'R" wherein each R' and R'' is the same or different and represents hydrogen, C_{1-4} alkyl, aryl, carbocyclyl, heterocyclyl, aryl- $(C_{1-4}$ alkyl)- or heteroaryl- $(C_{1-4}$ alkyl)-.
- 13. (Withdrawn) A method according to claim 12, wherein when R^6 is a group -NR/R" each R' and R'' is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-CH₂-.
- 14. (Withdrawn) A method according to claim 13, wherein when R^6 is a group -NR'R'' and one of R' and R'' is hydrogen.
- 15. (Withdrawn) A method according to claim 1 wherein R^6 is C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocyclyl, aryl- $(C_{1-4}$ alkyl)-, heteroaryl- $(C_{1-4}$ alkyl)-, carbocyclyl- $(C_{1-4}$ alkyl)-, heterocyclyl- $(C_{1-4}$ alkyl)-, carbocyclyl- $(C_{1-4}$ hydroxyalkyl)-, heterocyclyl- $(C_{1-4}$ hydroxyalkyl)-, aryl- $(C_{1-4}$ alkyl)-O-, heteroaryl- $(C_{1-4}$ alkyl)-O-, heterocyclyl- $(C_{1-4}$ alkyl)-O-, heterocyclyl- $(C_{1-4}$ alkyl)-O-, heterocyclyl- $(C_{1-4}$ alkyl)-O- or -NR'R''.

16. (Withdrawn) A method according to claim 15, wherein R^6 is C_{1-6} alkyl, C_{1-6} alkoxy, C_{1-6} alkylthio, aryl, heteroaryl, carbocyclyl, heterocycly, phenyl-(C_{1-2} alkyl)-, phenyl-(C_{1-2} alkyl)-O-, heteroaryl-(C_{1-2} alkyl)-, phenyl-(C_{1-2} hydroxyalkyl)-, heteroaryl-(C_{1-2} hydroxyalkyl)- or -NR/R''.

- 17. (Withdrawn) A method according to claim 16, wherein R⁶ is C₁₋₄ alkyl, C₁₋₄ alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl-(C₁₋₂ alkyl)-, phenyl-CH₂-CH(OH)-, phenyl-CH(OH)-CH₂-, phenyl-(C₁₋₂ alkyl)-O-, 1*H*-benzo[*d*]imidazol-2(3*H*)-onyl or -NR[']R^{''}.
- 18. (Withdrawn) A method according to claim 1, wherein the benzodiazepine derivative of formula (I) is a benzodiazepine derivative of formula (Ia):

$$(R^3)_n \xrightarrow{H}_{N} O \\ N \xrightarrow{N}_{R^4} R^5$$
 (Ia)

wherein:

- R¹ is phenyl or methyl;
- R³ is methyl or chlorine;
- n is 0 or 1;
- R⁴ is hydrogen or methyl;
- R⁵ is phenyl-CH₂-, furanyl-CH₂-, thienyl-C(O)-C(O)- or -XR⁶;
- $X \text{ is -CO- or -S(O)}_2$ -; and
- R^6 is C_{1-4} alkyl, C_{1-4} alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H-fluoren-9-onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl- $(C_{1-2}$ alkyl)-, phenyl- $(C_{1-2}$ alkyl)-O-, 1H-benzo[d]imidazol-2(3H)-onyl or - $NR^{\prime}R^{\prime\prime}$ wherein each

R' and R'' is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-(CH₂)-,

the phenyl moiety in the group R^1 being unsubstituted or substituted by a single fluorine, chlorine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl or C_{1-2} haloalkoxy substituent;

the aryl moieties in the groups R^5 and R^6 being unsubstituted or substituted by 1,2 or 3 substituents selected from fluorine, chlorine, bromine, iodine, C_{1-4} alkyl, C_{2-4} acyl, hydroxy, C_{1-4} alkoxy, C_{1-4} alkylthio, C_{1-4} haloalkyl, C_{1-4} haloalkoxy, amino, mono(C_{1-4} alkyl)amino, di(C_{1-4} alkyl)amino, nitro, $-CO_2R'$, $-S(O)_2R'$ and $-S(O)_2NH_2$, wherein R' represents C_{1-2} alkyl;

the heteroaryl moieties in the groups R^5 and R^6 being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} haloalkyl and di(C_{1-2} alkyl)amino; and

the heterocyclyl and carbocyclyl moieties in the R^6 group being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} haloalkyl and nitro.

- 19. (Withdrawn) A method according to claim 1, wherein the patient is a child under two years of age.
- 20. (Withdrawn) A method according to claim 19 wherein said child suffers from chronic lung disease.
- 21. (Withdrawn) A method according to claim 1 wherein the patient is an infant less than six years of age who was born after 32 weeks of gestation or less.
- 22. (Withdrawn) A method according to claim 1, wherein the benzodiazepine derivative or salt thereof is administered intranasally or intrabronchially.
- 23. (Withdrawn) A method according to claim 1, wherein an anti-inflammatory compound or an anti-influenza compound is further administered to the patient.
- 24. (Withdrawn) A method according to claim 23 wherein the anti-inflammatory compound is budesonide or fluticasone.

25. (Withdrawn) A method according to claim 23 wherein the anti-inflammatory compound is a leukotriene antagonist, phosphodiesterase 4 inhibitor or TNF alpha inhibitor.

26. (Withdrawn) A method according to claim 23 wherein the anti-inflammatory compound is an interleukin 8 or interleukin 9 inhibitor.

27-30. (Canceled)

- 31. (Withdrawn) An inhaler or nebuliser containing a medicament which comprises
 - (a) a benzodiazepine derivative of formula (I), as defined in claim 1, or a pharmaceutically acceptable salt thereof, and
 - (b) a pharmaceutically acceptable carrier or diluent.
- 32. (Withdrawn) A product comprising a compound of formula (I), or pharmaceutically acceptable salt thereof, as defined in claim 1, and an anti-inflammatory compound, or an anti-influenza compound.
- 33. (Withdrawn) A method of treating a patient suffering from or susceptible to concomitant RSV and influenza infections, which method comprises administering to said patient an effective amount of a product according to claim 32.
- 34. (Withdrawn) A method of treating a patient suffering from or susceptible to human metapneumovirus, measles, parainfluenza viruses, mumps, yellow fever virus (B5 strain), Dengue 2 virus or West Nile virus, which method comprises administering to said patient an effective amount of a compound of formula (I), as defined in claim 1, or a pharmaceutically acceptable salt thereof.

35-37. (Canceled)

38. (Currently amended) A compound of formula (Ic), or a pharmaceutically acceptable salt thereof,

$$(R^{3})_{n} \xrightarrow{\stackrel{H}{\underset{N}{\bigvee}}} N \xrightarrow{\stackrel{N}{\underset{N}{\bigvee}}} R^{5'}$$
 (Ic)

wherein:

- R¹ is phenyl or methyl;

- R³ is methyl or chlorine;

- n is 0 or 1;

- R⁴ is hydrogen or methyl;

- R⁵' is phenyl CH₂ thienyl C(O) C(O) or -X';

- X' is $\frac{CO R^{6_1}}{\cdot}$ -CONR'R", $\frac{S(O)_2 R^{6_{111}} \text{ or } S(O)_2 NR_{\ell}R_{\ell\ell}}{\cdot}$ and

 R^{6_1} is $C_{1,4}$ alkoxy, benzodioxinyl, 9H fluoren 9 onyl, furanyl, oxazolyl, isoxazolyl, pyridyl, cyclopentyl, piperazinyl, piperidinyl, morpholinyl, phenyl- CH_2 -CH(OH), phenyl- CH_2 -CH(OH)- CH_2 -CH(OH)-

 R^{6} is C_{1-4} alkyl, C_{1-4} alkoxy, phenyl, naphthyl, dihydrobenzofuranyl, benzodioxinyl, 9H fluoren 9 onyl, indolyl, thienyl, furanyl, oxazolyl, isoxazolyl, pyrazolyl, pyridyl, benzothienyl, benzofuranyl, cyclopentyl, cyclohexyl, piperazinyl, piperidinyl, morpholinyl, phenyl $(C_{1-2}$ alkyl), phenyl $(C_{1-2}$ alkyl), phenyl $(C_{1-2}$ alkyl) $(C_{1-2}$ alk

each R' and R'' is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl-(CH_2)-; and

each R_{ℓ} and $R_{\ell \ell}$ is the same or different and represents hydrogen, C_{1-4} alkyl, phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl (CH₂), wherein:

the phenyl moiety in the group R^1 being unsubstituted or substituted by a single fluorine, chlorine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl or C_{1-2} haloalkoxy substituent;

the aryl moieties in the groups R^{5} , R^{6} and R^{6} being unsubstituted or substituted by 1,2 or 3 substituents selected from fluorine, chlorine, bromine, iodine, $C_{1,4}$ alkyl, $C_{2,4}$ acyl, hydroxy, $C_{1,4}$ alkoxy, $C_{1,4}$ alkylthio, $C_{1,6}$ haloalkyl, $C_{1,4}$ haloalkoxy, amino,

 $mono(C_{1-4}-alkyl)amino, di(C_{1-4}-alkyl)amino, nitro, CO_2R^{\prime}, S(O)_2R^{\prime}-and S(O)_2NH_2,$ wherein R^{\prime} represents C_{1-2} -alkyl;

the heteroaryl moieties in the groups R^{s_1} , R^{s_1} and $R^{s_{11}}$ being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} haloalkyl and di(C_{1-2} alkyl)amino;

the heterocyclyl and carbocyclyl moieties in the R⁶" group being unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C₁₋₄ alkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkyl and nitro;

the phenyl, thienyl, cyclohexyl, cyclopentyl or phenyl- (CH_2) - aryl, heteroaryl and earbocyclyl moieties in the R' and R'' being unsubstituted or substituted by one or two substituents selected from fluorine, chlorine, bromine, C_{1-2} alkyl, C_{1-2} alkoxy, C_{1-2} alkylthio, C_{1-2} haloalkyl and nitro; and

the aryl, heteroaryl and carbocyclyl moieties in the R_{μ} and R_{μ} being unsubstituted or substituted by one or two substituents selected from fluorine, chlorine, bromine, $C_{1,2}$ alkyl, $C_{1,2}$ alkylthio, $C_{1,2}$ haloalkyl and nitro, provided that the compound of formula (Ic) is N (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) acetamide.

- 39. (Canceled)
- 40. (Currently amended) A compound of formula (Ie) or [[a]] pharmaceutically acceptable salts thereof

wherein R'* is an aryl group which is unsubstituted or substituted by 1 or 2 substituents selected from fluorine, chlorine, bromine, C_{1-4} alkyl, C_{1-4} alkylthio, C_{1-4} haloalkyl, C_{1-4} haloalkoxy and nitro.

41. (Currently amended) A compound according to claim 35, selected from 1,1-Diethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;

Piperidine 1 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3-yl) amide;

Morpholine 4 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 vl) amide;

4 Methyl piperazine 1 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

Benzo[b]thiophene 3 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

Isoxazole 5 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3-yl) amide;

Benzo[b]thiophene 2 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

N (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) methanesulfonamide; Propane 1 sulfonic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) amide;

Butane 1 sulfonic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) amide;

N (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) isonicotinamide;

N (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) nicotinamide;

- (S) 2 Methoxy 4 nitro N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- (S)-1-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 2 Chloro 4 methanesulfonyl N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- 1-(4-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 4 Methanesulfonyl 2 methoxy N (2 oxo 5 phenyl 2,3 dihydro 1H-

benzo[e][1,4]diazepin 3 yl) benzamide;

2 Methoxy 4 methylsulfanyl N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;

- 4 Methanesulfonyl N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- N (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl)terephthalamic acid methyl ester;
- 5 Acetyl 2 ethoxy N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- 3 Methoxy N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) terephthalamic acid methyl ester;
- 2 Methylsulfanyl N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- 4 Amino 5 chloro 2 methoxy N (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) benzamide;
- 4 Methanesulfonyl 2 methoxy N (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) benzamide;
- (S) 2,4,5 Trifluoro N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- (S) 5 Acetyl 2 ethoxy N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) benzamide;
- 2 Methoxy N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) 5 sylfamoylbenzamide;
- 1-tert-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 1 Cycloheyl 3 (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) urea
- 1-Cyclohexyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 1-Ethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 1-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea;
- 4,5 Dimethyl furan 2 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl)amide;
- Piperidine 1 carboxylic acid (7 chloro 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;
- Cyclohexanecarboxylic acid [5 (3 chloro phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl] amide;

Piperidine 1 carboxylic acid [5 (3 chloro phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl] amide;

N [5 (3 Chloro phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3-yl]isonicotinamide;

Cyclohexanecarboxylic acid [5 (3 methoxy phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl] amide;

Piperidine 1 carboxylic acid [5 (3 methoxy phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl] amide;

Piperidine 4 carboxylic acid [5 (3 methoxy phenyl) 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl] amide;

Cyclohexanecarboxylic acid (8 chloro 2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

6 Morpholin 4 yl N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) nicotinamide;

Pyridine 2 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) amide;

6 Fluoro 4H benzo[1,3]dioxine 8 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

1H Pyrazole 4 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin-3 yl) amide;

6 Dimethylamino N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) nicotinamide;

2 Ethoxy naphthalene 1 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

9 Oxo 9H fluorene 1 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

2 Oxo 2,3 dihydro benzoimidazole 1 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

(2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl)carbamic acid tert butyl ester;

(S) 6 Fluoro 4H benzo[1,3]dioxine 8 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;

- (S) 4,5 Dibromo furan 2 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;
- (S) 3 Methoxy naphthalene 2 carboxylic acid (2 oxo 5 phenyl 2,3 dihydro 1H-benzo[e][1,4]diazepin 3 yl) amide;
- (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) carbamic acid methyl ester;
- (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) carbamic acid ethyl ester; (2 Oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) carbamic acid isobutyl ester; or
- 2 Oxo N (2 oxo 5 phenyl 2,3 dihydro 1H benzo[e][1,4]diazepin 3 yl) 2 thiophene 2 ylacetamide;

or a pharmaceutically acceptable salt thereof.

- 42. (Canceled)
- 43. (Withdrawn) A pharmaceutical composition comprising a benzodiazepine derivative according to Claim 31, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluant or carrier.
- 44. (Withdrawn) A composition comprising an optically active isomer of a benzodiazepine derivative according to Claim 31.
- 45. (Withdrawn) A composition according to claim 43 which is in the form of a tablet, troche, lozenge, aqueous or oily suspension, dispersible powders or granules.
- 46. (Withdrawn) A process for preparing a benzodiazepine derivative of the formula (I), as defined in claim 1, or a pharmaceutically acceptable salt thereof, which process comprises:
 - (a) reacting 2-amino-benzophenone with bromoacetyl bromide, or an equivalent reagent, followed by ring closure with ammonia;
 - (b) protecting the NH group on the thus obtained compound by reacting with a base and an alkylating agent;
 - (c) reacting the protected intermediate thereby obtained with a base in a suitable solvent, to obtain thereby an oxime intermediate;

(d) converting the thus obtained oxime intermediate into a corresponding racemic primary amine;

- (e) carrying out dynamic kinetic resolution on the racemic amine in the presence of a suitable optically active acid and a suitable aldehyde to precipitate a salt of the (S)-amine.
- (Withdrawn) A process according to claim 46, which further comprises:(f) transforming the optically active amine obtained in step (e) into an amide or urea.
- 48. (Withdrawn) A process according to claim 46 wherein the protecting group introduced in step (b) is 4-methoxy-benzyl.
- 49. (Withdrawn) A process according to claim 46, wherein the benzodiazepine derivative of the formula (I) is (S)-1-(2-fluorophenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea or (S)-4-methanesulfonyl-2-methoxy-N-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-benzamide.
- 50. (Previously presented) The compound of claim 40, wherein R'* is a phenyl group which is unsubstituted or substituted by a single fluorine, chlorine, or bromine substituent.
- 51. (Previously presented) A compound according to claim 40, wherein the compound is (S)-1-(2-Fluoro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.
- 52. (Canceled)
- 53. (New) A compound according to claim 40, wherein the compound is 1-(4-Nitro-phenyl)-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.
- 54. (New) A compound according to claim 40, wherein the compound is 1-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.
- 55. (New) (New) A compound according to claim 40, wherein the compound is 1,1-Diethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.

56. (New) A compound according to claim 40, wherein the compound is 1-tert-Butyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.

- 57. (New) A compound according to claim 40, wherein the compound is 1-Ethyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.
- 58. (New) A compound according to claim 40, wherein the compound is 1-Cyclohexyl-3-(2-oxo-5-phenyl-2,3-dihydro-1H-benzo[e][1,4]diazepin-3-yl)-urea.
- 59. (New) A compound according to claim 38, wherein R¹ is phenyl.